

**THE INTERSECTION IMPROVEMENTS AT
NORBRIDGE AVENUE AND STROBRIDGE AVENUE
IN THE VICINITY OF INTERSTATE 580
ALAMEDA COUNTY, CALIFORNIA
SPECIFICATION NO. 2445**

This addendum is issued by the County of Alameda, Public Works Agency, Construction and Development Services Department, 399 Elmhurst Street, Hayward, CA 94544.

TO ALL PROSPECTIVE BIDDERS for the above project, notice is hereby given that the following changes, modifications, corrections, clarifications, and additions as hereinafter set forth shall apply to the plans and specifications described herein and shall be made part thereof and subject to all requirements as if originally specified or drawn.

Receipt of this Addendum No. 2 must be acknowledged on the form in the bid proposal in writing.

GENERAL

Responses to Bidders' inquiries can be viewed at the following Public Works' website:

[Additional Bidder Information | Doing Business with Us | ACPWA Alameda County Public Works Agency](#)

This document will be continuously updated. It is the contractor's responsibility to check for updates.

CHANGES TO BID BOOK

1. Replace page BB-1b with page BB-1b Addendum No. 2

END OF ADDENDUM NO. 2
OFFICE OF THE COUNTY ENGINEER

No .	Sec	Bid Item Description	Qty	Unit	Unit Cost	Total Cost
22*	19	ROADWAY EXCAVATION	700	CY	\$	\$
23	20	PLANT (GROUND COVER & SHRUBS – 1 GAL)	44	EA	\$	\$
24	20	PLANT (GROUND COVER & SHRUBS – 5 GAL)	12	EA	\$	\$
25	20	BIORETENTION MULCH (3" DEPTH)	120	SF	\$	\$
26*	26	CLASS 2 AGGREGATE BASE	245	CY	\$	\$
27	37	SLURRY SEAL, TYPE II	13	TN	\$	\$
28	37	CRACK SEAL	1	LS	\$	\$
29	39	HOT MIX ASPHALT PLUG	236	TN	\$	\$
30	39	HOT MIX ASPHALT DRIVEWAY CONFORM (3")	450	SF	\$	\$
31	39	HOT MIX ASPHALT – LOW VOLUME (HMA-LV)	1,355	TN	\$	\$
32	39	COLD PLANE ASPHALT CONCRETE PAVEMENT	5,990	SY	\$	\$
33	51	STRUCTURAL CONCRETE, BIORETENTION WALL	204	LF	\$	\$
34	51	STRUCTURAL CONCRETE, BIORETENTION LATERAL BRACING	70	LF	\$	\$
35	51	STRUCTURAL CONCRETE, DRAINAGE INLET	1	EA	\$	\$
36	51	MINOR CONCRETE (CURB WALL)	130	LF	\$	\$
37	65	12" REINFORCED CONCRETE PIPE	50	LF	\$	\$
38	65	18" REINFORCED CONCRETE PIPE	37	LF	\$	\$
39	65	4" PERFORATED PLASTIC PIPE UNDERDRAIN	60	LF	\$	\$
40	66	4" PLASTIC PIPE CLEANOUT	2	EA	\$	\$
41	66	6" PLASTIC PIPE	14	LF	\$	\$
42	68	CLASS 2 PERMEABLE BASE	17	CY	\$	\$
43	68	BIORETENTION SOIL MIX	25	CY	\$	\$

*Contingent item under section 2-1.09B

Spec 2445 Intersection Improvements at Norbridge Ave and Strobridge Ave