Addendum No. 1 November 13, 2023 Sheet 1 of 1 Spec. No. 2480

THE REPLACEMENT OF GUARDRAIL ON CROW CANYON ROAD AT VARIOUS LOCATIONS FROM SAN SIMEON PLACE TO NORRIS CANYON ROAD ALAMEDA COUNTY, CALIFORNIA SPECIFICATION NO. 2480 STATE AID PROJECT: HSIPL – 5933 (165)

This addendum is issued by the County of Alameda, Public Works Agency, Construction and Development Services Department, 399 Elmhurst Street, Hayward, CA 94544.

TO ALL PROSPECTIVE BIDDERS for the above project, notice is hereby given that the following changes, modifications, corrections, clarifications, and additions as hereinafter set forth shall apply to the plans and specifications described herein and shall be made part thereof and subject to all requirements as if originally specified or drawn.

Receipt of this <u>Addendum No. 1</u> must be acknowledged on the form in the bid proposal in writing.

GENERAL

<u>NOTE:</u> This Addendum is published to ensure everyone is aware of the latest responses to Bidders' inquiries. <u>No change</u> has been made since previous update (dated 10-31-2023).

A. The latest responses to Bidders' inquiries are attached (**Attachment 1**) and also can be viewed at the following Public Works' website:

https://www.acpwa.org/business/add-bidder-info.page

This document will be continuously updated. It is the contractor's responsibility to check for updates.

END OF ADDENDUM NO. 1
OFFICE OF THE COUNTY ENGINEER

CONTRACTOR'S INQUIRY RESPONSES

THE REPLACEMENT OF GUARDRAILS ON CROW CANYON ROAD AT VARIOUS LOCATIONS FROM SAN SIMON PLACE TO NORRIS CANYON ROAD EDEN TOWNSHIP, ALAMEDA COUNTY, CALIFORNIA HSIPL-5933 (165)

The responses to contractors' inquiries, unless incorporated into a formal addendum to the contract, are not a part of the contract and are provided for the contractor's convenience only. In some instances, the question and answer may represent a summary of the matters discussed rather than a word-forword recitation. The responses may be considered along with all other information furnished to prospective bidders for the purpose of bidding on the project. The availability or use of information provided in the responses to contractors' inquiries is not to be construed in any way as a waiver of the provisions of section 2-1.07 of the Standard Specifications or any other provision of the contract, the plans, Standard Specifications or Special Provisions, nor to excuse the contractor from full compliance with those contract requirements. Bidders are cautioned that subsequent responses or contract addenda may affect or vary a response previously given and any such subsequent response or addenda should be taken into consideration when submitting a bid for the project. Inquiries must be submitted by the deadline specified in the project Special Provisions.

This document will be continuously updated. It is the contractor's responsibility to check for updates.

<u>UPDATED (10-31-2023):</u> (Legend: T = telephone; PBM = pre-bid meeting; E = email)

Inquiry		
No.	Inquiry	Response
1PBM	It was mentioned that the guardrail posts were installed on CDIH piles. The plan does not show the connections details. Please provide details of how the guardrail posts are attached to the CDIH piles? The (plan) guardrail profiles show the posts are not aligned and are offset with the CDIH piles.	The (pre-bid meeting) citing of "some guardrail posts are installed on CDIH piles" was in error. The posts and CIDH piles are <u>not</u> connected. As shown in Sheet 12, the posts and CIDH piles are alternatingly placed. The center-to-center spacing between posts is typically 6'-3". The center-to-center spacing between CIDH piles is also 6'-3" (with an offset of 3'-1 ½" from the posts).
2E		
3E	>	
4E	>	
5E	>	
6E	>	
7E	>	
8E		
9E		

Inquiry	Inquiry	Response
No.	mqun y	пеэропэс
10E		
11E		
12E		
13E		
14E		
15E		
16E		
17E		
18E		
19E		
20E		
21E		
22E		
23E		
24E		
25E		
26E		
27E		
28E		
29E		
30E		
31E		
32E		
33E		
34E		
35E		
36E		
37E		
38E		
39E		
40E		
41		
42		
43		
44		
45		
46		
47		
48		

Specification No. 2480

Inquiry No.	Inquiry	Response
49		
50		